

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Installation	Open Conf. Inspection Date	Inspection Type	Violation Type	Standard Cited	Description	NAVOSH Reference	Abatement Date	Max Private Sector Penalty
U. S. Dept. Of Navy Navy Fleet Readiness Center East (Attn: CODE 6.5.1) Cherry Point, NC 28533	10/2/2012	Referral	Serious	1910.304(g)(5)	Wiring design and protection: Grounding path. The path to ground from circuits, equipment, and enclosures shall be permanent, continuous, and effective.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Initial Abatement 10/02/2012 [3]: Penalty Abatement 11/09/2012: Close Date 12/10/2012	\$7,000
U. S. Dept. Of Navy Navy Fleet Readiness Center East (Attn: CODE 6.5.1) Cherry Point, NC 28533	10/2/2012	Referral	Serious	1910.305(b)(2)	Wiring methods, components, and equipment for general use. Cabinets, boxes, and fittings -- Covers and canopies. (i) All pull boxes, junction boxes, and fittings shall be provided with covers identified for the purpose. If metal covers are used, they shall be grounded. In completed installations, each outlet box shall have a cover, faceplate, or fixture canopy. Covers of outlet boxes having holes through which flexible cord pendants pass shall be provided with bushings designed for the purpose or shall have smooth, well-rounded surfaces on which the cords may bear. (ii) Where a fixture canopy or pan is used, any combustible wall or ceiling finish exposed between the edge of the canopy or pan and the outlet box shall be covered with noncombustible material.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Initial Abatement 10/02/2012 [3]: Penalty Abatement 11/09/2012: Close Date 12/10/2012	\$7,000
U. S. Dept. Of Navy Navy Fleet Readiness Center East (Attn: CODE 6.5.1) Cherry Point, NC 28533	10/2/2012	Referral	Serious	1910.305(g)(1) iv A	Wiring methods, components, and equipment for general use. Flexible cords and cables -- Use of flexible cords and cables. Unless specifically permitted otherwise in paragraph (g)(1)(ii) of this section, flexible cords and cables may not be used: As a substitute for the fixed wiring of a structure;	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Initial Abatement 10/02/2012 [3]: Penalty Abatement 11/09/2012: Close Date 12/10/2012	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

U. S. Dept. Of Navy Navy Fleet Readiness Center East (Attn: CODE 6.5.1) Cherry Point, NC 28533	10/2/2012	Referral	Serious	1910.305(g)(2) iii	Wiring methods, components, and equipment for general use. Flexible cords and cables -- Identification, splices, and terminations. Flexible cords and cables shall be connected to devices and fittings so that strain relief is provided that will prevent pull from being directly transmitted to joints or terminal screws.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Initial Abatement 10/02/2012 [3]: Penalty Abatement 11/09/2012: Close Date 12/10/2012	\$7,000
U.S. Navy Exchange Home Gallery 235 S E Tulagi Oak Harbor, WA 98278	10/2/2012	Planned	Serious	1910.36(d)(1)	Design and construction requirements for exit routes. An exit door must be unlocked. Employees must be able to open an exit route door from the inside at all times without keys, tools, or special knowledge. A device such as a panic bar that locks only from the outside is permitted on exit discharge doors.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Initial Abatement 10/02/2012 [3]: Penalty Abatement 10/23/2012: Close Date 12/18/2012	\$7,000
U.S. Navy Exchange Home Gallery 235 S E Tulagi Oak Harbor, WA 98278	10/2/2012	Planned	Repeat	1910.303(b)(2)	General requirements. Installation and use. Listed or labeled equipment shall be installed and used in accordance with any instructions included in the listing or labeling.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Initial Abatement 10/02/2012 [3]: Penalty Abatement 10/23/2012: Close Date 12/18/2012	\$70,000
U.S. Navy Exchange Home Gallery 235 S E Tulagi Oak Harbor, WA 98278	10/2/2012	Planned	Other	1910.157(e)(2)	Portable fire extinguishers. Inspection, maintenance and testing. Portable extinguishers or hose used in lieu thereof under paragraph (d)(3) of this section shall be visually inspected monthly.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Initial Abatement 11/27/2012 [3]: Penalty Abatement 12/06/2012: Close Date 12/18/2012	\$1,000
U.S. Navy Exchange Maintenance S E Tulagi Building 22 Oak Harbor, WA 98278	10/2/2012	Planned	Serious	1910.36(d)(1)	Design and construction requirements for exit routes. An exit door must be unlocked. Employees must be able to open an exit route door from the inside at all times without keys, tools, or special knowledge. A device such as a panic bar that locks only from the outside is permitted on exit discharge doors.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Initial Abatement 12/03/2012 [2] Penalty Abatement 12/06/2012 Close Date 12/18/2012	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

U.S. Navy Exchange Maintenance S E Tulagi Building 22 Oak Harbor, WA 98278	10/2/2012	Planned	Serious	1910.37(b)(2)	Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. Each exit must be clearly visible and marked by a sign reading "Exit."	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Initial Abatement 11/15/2012 [2] Penalty Abatement 12/06/2012 Close Date 12/18/2012	\$7,000
U.S. Navy Exchange Maintenance S E Tulagi Building 22 Oak Harbor, WA 98278	10/2/2012	Planned	Serious	1910.37(b)(4)	Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. If the direction of travel to the exit or exit discharge is not immediately apparent, signs must be posted along the exit access indicating the direction of travel to the nearest exit and exit discharge. Additionally, the line-of-sight to an exit sign must clearly be visible at all times.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Initial Abatement 11/15/2012 [2] Penalty Abatement 12/06/2012 Close Date 12/18/2012	\$7,000
U.S. Navy Exchange Maintenance S E Tulagi Building 22 Oak Harbor, WA 98278	10/2/2012	Planned	Serious	1910.37(b)(5)	Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. Each doorway or passage along an exit access that could be mistaken for an exit must be marked "Not an Exit" or similar designation, or be identified by a sign indicating its actual use (e.g., closet).	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Initial Abatement 11/15/2012 [2] Penalty Abatement 12/06/2012 Close Date 12/18/2012	\$7,000
U.S. Navy Exchange Maintenance S E Tulagi Building 22 Oak Harbor, WA 98278	10/2/2012	Planned	Serious	1910.213(b)(3)	Woodworking machinery requirements. Machine controls and equipment. On applications where injury to the operator might result if motors were to restart after power failures, provision shall be made to prevent machines from automatically restarting upon restoration of power.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 24, Energy Control (Lockout/Tagout)	Initial Abatement 11/16/2012 [2] Penalty Abatement 12/06/2012 Close Date 12/18/2012	\$7,000
U.S. Navy Exchange Maintenance S E Tulagi Building 22 Oak Harbor, WA 98278	10/2/2012	Planned	Serious	1910.305(g)(1) iv B	Wiring methods, components, and equipment for general use. Flexible cords and cables -- Identification, splices, and terminations. Use of flexible cords and cables. Flexible cords and cables shall be approved for conditions of use and location. Where run through holes in walls, ceilings, or floors;	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Initial Abatement 11/16/2012 [2] Penalty Abatement 12/06/2012 Close Date 12/18/2012	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

U.S. Navy Exchange Maintenance S E Tulagi Building 22 Oak Harbor, WA 98278	10/2/2012	Planned	Repeat	1910.303(b)(2)	General requirements. Installation and use. Listed or labeled equipment shall be installed and used in accordance with any instructions included in the listing or labeling.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Initial Abatement 11/30/2012 [2] Penalty Abatement 12/06/2012 Close Date 12/18/2012	\$70,000
U.S. Navy Exchange Maintenance S E Tulagi Building 22 Oak Harbor, WA 98278	10/2/2012	Planned	Other	1910.157(e)(2)	Portable fire extinguishers. Inspection, maintenance and testing. Portable extinguishers or hose used in lieu thereof under paragraph (d)(3) of this section shall be visually inspected monthly	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Initial Abatement 10/02/2012/2012 [2] Penalty Abatement 12/06/2012 Close Date 12/18/2012	\$1,000
U.S. Navy Exchange Maintenance S E Tulagi Building 22 Oak Harbor, WA 98278	10/2/2012	Planned	Other	1910.303(g)(1) ii	General requirements. 600 Volts, nominal, or less. This paragraph applies to electric equipment operating at 600 volts, nominal, or less to ground. Space about electric equipment. Sufficient access and working space shall be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of such equipment. Working space required by this standard may not be used for storage. When normally enclosed live parts are exposed for inspection or servicing, the working space, if in a passageway or general open space, shall be suitably guarded.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Initial Abatement 10/02/2012 [2] Penalty Abatement 12/06/2012 Close Date 12/18/2012	\$1,000
U. S. Dept. Of Navy Navy Fleet Readiness Center East (Attn: CODE 6.5.1) Cherry Point, NC 28533	10/2/2012	Complaint	Serious	1910.134(d)(1) iii	Respiratory Protection. Selection of respirators. General requirements. The employer shall identify and evaluate the respiratory hazard(s) in the workplace; this evaluation shall include a reasonable estimate of employee exposures to respiratory hazard(s) and an identification of the contaminant's chemical state and physical form. Where the employer cannot identify or reasonably estimate the employee exposure, the employer shall consider the atmosphere to be IDLH.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 15, Respiratory Protection; Chapter 20, Personal Protective Equipment; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions	Contest Date: 02/14/2013 Penalty Abatement: 09/30/2013 Close Date: (OPEN)	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

U. S. Dept. Of Navy Navy Fleet Readiness Center East (Attn: CODE 6.5.1) Cherry Point, NC 28533	10/2/2012	Complaint	Serious	1910.1027 (k)(1)	Cadmium. Housekeeping. All surfaces shall be maintained as free as practicable of accumulations of cadmium.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 7, Hazardous Material Control and Management (HMC&M); Chapter 8, Occupational Health; Chapter 15, Respiratory Protection; Chapter 19, Sight Conservation; Chapter 20, Personal Protective Equipment; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions	Contest Date: 02/14/2013 Penalty Abatement: 02/15/2013 Abatement Date: 03/12/2013 Close Date: (OPEN)	\$7,000
U. S. Dept. Of Navy Navy Fleet Readiness Center East (Attn: CODE 6.5.1) Cherry Point, NC 28533	10/2/2012	Complaint	Repeat	1910.1026(i)(4) i	Chromium (VI). Hygiene areas and practices. Hygiene areas and practices. Eating and drinking areas. Whenever the employer allows employees to consume food or beverages at a worksite where chromium (VI) is present, the employer shall ensure that eating and drinking areas and surfaces are maintained as free as practicable of chromium (VI).	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 7, Hazardous Material Control and Management (HMC&M); Chapter 8, Occupational Health; Chapter 15, Respiratory Protection; Chapter 19, Sight Conservation; Chapter 20, Personal Protective Equipment; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions	Contest Date: 02/14/2013 Penalty Abatement: 02/15/2013 Abatement Date: 03/12/2013 Close Date: (OPEN)	\$70,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Fleet Readiness Center Mid-Atlantic (FRCMA) 1141 Aircraft Tow Way Building V-147 Naval Station Norfolk Norfolk, VA 23511	10/2/2012	Complaint	Serious	1910.132(d)(1)	General requirements. Hazard assessment and equipment selection. The employer shall assess the workplace to determine if hazards are present, or are likely to be present, which necessitate the use of personal protective equipment (PPE). If such hazards are present, or likely to be present, the employer shall: (i) Select, and have each affected employee use, the types of PPE that will protect the affected employee from the hazards identified in the hazard assessment; (ii) Communicate selection decisions to each affected employee; and, (iii) Select PPE that properly fits each affected employee. Note: Non-mandatory Appendix B contains an example of procedures that would comply with the requirement for a hazard assessment.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 7, Hazardous Material Control and Management (HMC&M); Chapter 20, Personal Protective Equipment; Chapter 8, Occupational Health; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions	Initial Abatement: 04/12/2013 [2] Contest Date: 04/29/2013; Penalty Abatement Date & Informal Settlement Date: 5/05/2013; Close Date: 5/18/2013	\$7,000
Fleet Readiness Center Mid-Atlantic (FRCMA) 1141 Aircraft Tow Way Building V-147 Naval Station Norfolk Norfolk, VA 23511	10/2/2012	Complaint	Serious	1910.1026(h)(1)	Chromium (VI). Protective work clothing and equipment. Provision and use. Where a hazard is present or is likely to be present from skin or eye contact with chromium (VI), the employer shall provide appropriate personal protective clothing and equipment at no cost to employees, and shall ensure that employees use such clothing and equipment.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 7, Hazardous Material Control and Management (HMC&M); Chapter 8, Occupational Health; Chapter 15, Respiratory Protection; Chapter 19, Sight Conservation; Chapter 20, Personal Protective Equipment; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions	Initial Abatement: 04/12/2013 [2] Contest Date: 04/29/2013; Penalty Abatement Date & Informal Settlement Date: 5/05/2013; Close Date: 5/18/2013	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Fleet Readiness Center Mid-Atlantic (FRCMA) 1141 Aircraft Tow Way Building V-147 Naval Station Norfolk Norfolk, VA 23511	10/2/2012	Complaint	Serious	1910.134(h)(1)	Respiratory Protection. Maintenance and care of respirators. Cleaning and disinfecting. The employer shall provide each respirator user with a respirator that is clean, sanitary, and in good working order. The employer shall ensure that respirators are cleaned and disinfected using the procedures in Appendix B-2 of this section, or procedures recommended by the respirator manufacturer, provided that such procedures are of equivalent effectiveness. The respirators shall be cleaned and disinfected at the following intervals: (i) Respirators issued for the exclusive use of an employee shall be cleaned and disinfected as often as necessary to be maintained in a sanitary condition; (ii) Respirators issued to more than one employee shall be cleaned and disinfected before being worn by different individuals; (iii) Respirators maintained for emergency use shall be cleaned and disinfected after each use; and (iv) Respirators used in fit testing and training shall be cleaned and disinfected after each use.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 15, Respiratory Protection; Chapter 20, Personal Protective Equipment; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions	Initial Abatement: 04/12/2013 [2] Contest Date: 04/29/2013; Penalty Abatement Date & Informal Settlement Date: 5/05/2013; Close Date: 5/18/2013	\$7,000
Fleet Readiness Center Mid-Atlantic (FRCMA) 1141 Aircraft Tow Way Building V-147 Naval Station Norfolk Norfolk, VA 23511	10/2/2012	Complaint	Serious	1910.134(h)(1) i	Respiratory Protection. Maintenance and care of respirators. Cleaning and disinfecting. The employer shall provide each respirator user with a respirator that is clean, sanitary, and in good working order. The employer shall ensure that respirators are cleaned and disinfected using the procedures in Appendix B-2 of this section, or procedures recommended by the respirator manufacturer, provided that such procedures are of equivalent effectiveness. The respirators shall be cleaned and disinfected at the following intervals: (i) Respirators issued for the exclusive use of an employee shall be cleaned and disinfected as often as necessary to be maintained in a sanitary condition;	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 15, Respiratory Protection; Chapter 20, Personal Protective Equipment; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions	Initial Abatement Date: 04/12/2013 [2] Contest Date: 04/29/2013; Penalty Abatement Date & Informal Settlement Date: 5/05/2013; Close Date: 5/18/2013	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Fleet Readiness Center Mid-Atlantic (FRCMA) 1141 Aircraft Tow Way Building V-147 Naval Station Norfolk Norfolk, VA 23511	10/2/2012	Complaint	Serious	1910.1026(h)(2) iv	Chromium (VI) Protective work clothing and equipment. Removal and storage. The employer shall ensure that bags or containers of contaminated protective clothing or equipment that are removed from change rooms for laundering, cleaning, maintenance, or disposal are labeled in accordance with the requirements of the Hazard Communication Standard, § 1910.1200.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 7, Hazardous Material Control and Management (HMC&M); Chapter 8, Occupational Health; Chapter 15, Respiratory Protection; Chapter 19, Sight Conservation; Chapter 20, Personal Protective Equipment; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions	Initial Abatement: 04/03/2013 [2] Contest Date: 04/29/2013; Penalty Abatement Date & Informal Settlement Date: 5/05/2013; Close Date: 5/18/2013	\$7,000
Fleet Readiness Center Mid-Atlantic (FRCMA) 1141 Aircraft Tow Way Building V-147 Naval Station Norfolk Norfolk, VA 23511	10/2/2012	Complaint	Serious	1910.1026(h)(3) iii	Chromium (VI) Protective work clothing and equipment. Cleaning and replacement. The employer shall inform any person who launders or cleans protective clothing or equipment contaminated with chromium (VI) of the potentially harmful effects of exposure to chromium (VI) and that the clothing and equipment should be laundered or cleaned in a manner that minimizes skin or eye contact with chromium (VI) and effectively prevents the release of airborne chromium (VI) in excess of the PEL.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 7, Hazardous Material Control and Management (HMC&M); Chapter 8, Occupational Health; Chapter 15, Respiratory Protection; Chapter 19, Sight Conservation; Chapter 20, Personal Protective Equipment; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions	Initial Abatement: 04/03/2013 [2] Contest Date: 04/29/2013; Penalty Abatement Date & Informal Settlement Date: 5/03/2013; Close Date: 5/18/2013	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Fleet Readiness Center Mid-Atlantic (FRCMA) 1141 Aircraft Tow Way Building V-147 Naval Station Norfolk Norfolk, VA 23511	10/2/2012	Complaint	Serious	1910.1026(i)(1)	Chromium (VI). Hygiene areas and practices. General. Where protective clothing and equipment is required, the employer shall provide change rooms in conformance with 29 CFR 1910.141. Where skin contact with chromium (VI) occurs, the employer shall provide washing facilities in conformance with 29 CFR 1910.141. Eating and drinking areas provided by the employer shall also be in conformance with § 1910.141.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 7, Hazardous Material Control and Management (HMC&M); Chapter 8, Occupational Health; Chapter 15, Respiratory Protection; Chapter 19, Sight Conservation; Chapter 20, Personal Protective Equipment; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions	Initial Abatement: 04/03/2013 [2] Contest Date: 04/29/2013; Penalty Abatement Date & Informal Settlement Date: 5/02/2013; Close Date: 5/18/2013	\$7,000
Fleet Readiness Center Mid-Atlantic (FRCMA) 1141 Aircraft Tow Way Building V-147 Naval Station Norfolk Norfolk, VA 23511	10/2/2012	Complaint	Repeat	1910.107(b)(9)	Spray finishing using flammable and combustible materials. Spray booths - Cleaning. Spray booths shall be so installed that all portions are readily accessible for cleaning. A clear space of not less than 3 feet on all sides shall be kept free from storage or combustible construction.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 7, Hazardous Material Control and Management (HMC&M); Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions	Initial Abatement: 04/03/2013 [2] Contest Date: 04/29/2013; Penalty Abatement Date & Informal Settlement Date: 5/02/2013; Close Date: 5/18/2013	\$70,000
Fleet Readiness Center Mid-Atlantic (FRCMA) 1141 Aircraft Tow Way Building V-147 Naval Station Norfolk Norfolk, VA 23511	10/2/2012	Complaint	Repeat	1910.132(a)	General requirements. Application. Protective equipment, including personal protective equipment for eyes, face, head, and extremities, protective clothing, respiratory devices, and protective shields and barriers, shall be provided, used, and maintained in a sanitary and reliable condition wherever it is necessary by reason of hazards of processes or environment, chemical hazards, radiological hazards, or mechanical irritants encountered in a manner capable of causing injury or impairment in the function of any part of the body through absorption, inhalation or physical contact.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 7, Hazardous Material Control and Management (HMC&M); Chapter 20, Personal Protective Equipment; Chapter 8, Occupational Health; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions	Initial Abatement: 04/03/2013 [2] Contest Date: 04/29/2013; Penalty Abatement Date & Informal Settlement Date: 4/02/2013; Close Date: 5/18/2013	\$70,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Fleet Readiness Center Mid-Atlantic (FRCMA) 1141 Aircraft Tow Way Building V-147 Naval Station Norfolk Norfolk, VA 23511	10/2/2012	Complaint	Repeat	1910.1026(i)(4) i	Chromium (VI). Hygiene areas and practices. Eating and drinking areas. Whenever the employer allows employees to consume food or beverages at a worksite where chromium (VI) is present, the employer shall ensure that eating and drinking areas and surfaces are maintained as free as practicable of chromium (VI).	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 7, Hazardous Material Control and Management (HMC&M); Chapter 8, Occupational Health; Chapter 15, Respiratory Protection; Chapter 19, Sight Conservation; Chapter 20, Personal Protective Equipment; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions	Initial Abatement: 04/03/2013 [2] Contest Date: 04/29/2013; Penalty Abatement Date & Informal Settlement Date: 5/02/2013; Close Date: 5/18/2013	\$70,000
Fleet Readiness Center Mid-Atlantic (FRCMA) 1141 Aircraft Tow Way Building V-147 Naval Station Norfolk Norfolk, VA 23511	10/2/2012	Complaint	Repeat	1910.1026(j)(1) i	Chromium (VI). Housekeeping. General. The employer shall ensure that: All surfaces are maintained as free as practicable of accumulations of chromium (VI).	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 7, Hazardous Material Control and Management (HMC&M); Chapter 8, Occupational Health; Chapter 15, Respiratory Protection; Chapter 19, Sight Conservation; Chapter 20, Personal Protective Equipment; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions	Initial Abatement: 04/03/2013 [2] Contest Date: 04/29/2013; Penalty Abatement Date & Informal Settlement Date: 5/02/2013; Close Date: 5/18/2013	\$70,000
Navair Highway 547 Building 150-2 Lakehurst, NJ 08733	10/10/2012	Complaint	Other	1910.22(a)(1)	General requirements. "Housekeeping." All places of employment, passageways, storerooms, and service rooms shall be kept clean and orderly and in a sanitary condition.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions	Contest Date: 2/05/2013 Position to Mod Abatement: 9/05/2013 Informal Settlement: 9/05/2013 (OPEN)	\$1,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Navy Exchange - Liberty Station 2912 Nimitz Blvdbldg 472 San Diego, CA 92106	10/19/2012	Planned	Serious	1910.36 (g)(2)	Design and construction requirements for exit routes. An exit route must meet minimum height and width requirements. An exit access must be at least 28 inches (71.1 cm) wide at all points. Where there is only one exit access leading to an exit or exit discharge, the width of the exit and exit discharge must be at least equal to the width of the exit access.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Initial Abatement: 10/20/2012 [2] Penalty Abatement: 1/11/2013 Close Date: 1/18/2013	\$7,000
Navy Exchange - Liberty Station 2912 Nimitz Blvdbldg 472 San Diego, CA 92106	10/19/2012	Planned	Serious	1910.38(f)(1)	Emergency action plans. Review of emergency action plan. An employer must review the emergency action plan with each employee covered by the plan: When the plan is developed or the employee is assigned initially to a job;	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Initial Abatement: 12/17/2012 [2] Penalty Abatement: 1/11/2013 Close Date: 1/18/2013	\$7,000
Navy Exchange - Liberty Station 2912 Nimitz Blvdbldg 472 San Diego, CA 92106	10/19/2012	Planned	Serious	1910.101(b)	Compressed gases (general requirements). "Compressed gases." The in-plant handling, storage, and utilization of all compressed gases in cylinders, portable tanks, rail tankcars, or motor vehicle cargo tanks shall be in accordance with Compressed Gas Association Pamphlet P-1-1965, which is incorporated by reference as specified in Sec. 1910.6.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 7, Hazardous Material Control and Management (HMC&M)	Initial Abatement: 10/20/2012 [2] Penalty Abatement: 1/11/2013 Close Date: 1/18/2013	\$7,000
Navy Exchange - Liberty Station 2912 Nimitz Blvdbldg 472 San Diego, CA 92106	10/19/2012	Planned	Serious	1910.138(a)	Hand Protection. General requirements. Employers shall select and require employees to use appropriate hand protection when employees' hands are exposed to hazards such as those from skin absorption of harmful substances; severe cuts or lacerations; severe abrasions; punctures; chemical burns; thermal burns; and harmful temperature extremes.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 7, Hazardous Material Control and Management (HMC&M); Chapter 8, Occupational Health; Chapter 2, Responsibilities; Chapter 20, Personal Protective Equipment	Initial Abatement: 10/19/2012 [2] Penalty Abatement: 1/11/2013 Close Date: 1/18/2013	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Navy Exchange - Liberty Station 2912 Nimitz Blvd bldg 472 San Diego, CA 92106	10/19/2012	Planned	Serious	1910.157(c)(1)	Portable fire extinguishers. General requirements. The employer shall provide portable fire extinguishers and shall mount, locate and identify them so that they are readily accessible to employees without subjecting the employees to possible injury.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 6, Training	Initial Abatement: 10/19/2012 [3] Close Date: 1/18/2013	\$7,000
Navy Exchange - Liberty Station 2912 Nimitz Blvd bldg 472 San Diego, CA 92106	10/19/2012	Planned	Serious	1910.159(c)(10)	Automatic sprinkler systems. General requirements - Sprinkler spacing. The employer shall assure that sprinklers are spaced to provide a maximum protection area per sprinkler, a minimum of interference to the discharge pattern by building or structural members or building contents and suitable sensitivity to possible fire hazards. The minimum vertical clearance between sprinklers and material below shall be 18 inches (45.7 cm).	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Initial Abatement: 12/19/2012 [2] Penalty Abatement: 1/11/2013 Close Date: 1/18/2013	\$7,000
Navy Exchange - Liberty Station 2912 Nimitz Blvd bldg 472 San Diego, CA 92106	10/19/2012	Planned	Serious	1910.176(b)	Handling materials - general. Secure storage. Storage of material shall not create a hazard. Bags, containers, bundles, etc., stored in tiers shall be stacked, blocked, interlocked and limited in height so that they are stable and secure against sliding or collapse.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Initial Abatement: 12/19/2012 [2] Penalty Abatement: 1/11/2013 Close Date: 1/18/2013	\$7,000
Navy Exchange - Liberty Station 2912 Nimitz Blvd bldg 472 San Diego, CA 92106	10/19/2012	Planned	Serious	1910.303(g)(1) ii	General requirements. 600 Volts, nominal, or less. This paragraph applies to electric equipment operating at 600 volts, nominal, or less to ground. Working space required by this standard may not be used for storage. When normally enclosed live parts are exposed for inspection or servicing, the working space, if in a passageway or general open space, shall be suitably guarded.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Initial Abatement: 10/20/2012 [2] Penalty Abatement: 1/11/2013 Close Date: 1/18/2013	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Navy Exchange - Liberty Station 2912 Nimitz Blvd 472 San Diego, CA 92106	10/19/2012	Planned	Serious	1910.1200(f)(5) i	Hazard Communication. Labels and other forms of warning— Chemical manufacturers, importers, or distributors shall ensure that each container of hazardous chemicals leaving the workplace is labeled, tagged, or marked in accordance with this section in a manner which does not conflict with the requirements of the Hazardous Materials Transportation Act (49 U.S.C. 1801 et seq.) and regulations issued under that Act by the Department of Transportation.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 7, Hazardous Material Control and Management (HMC&M); Chapter 6, Training	Initial Abatement: 10/19/2012 [3] Close Date: 1/18/2013	\$7,000
Navy Exchange - Liberty Station 2912 Nimitz Blvd Automotive Center And Gas Station (Bldg. 344 And 471) San Diego, CA 92106	10/19/2012	Planned	Serious	1910.133(a)(1)	Eye and face protection. General requirements. The employer shall ensure that each affected employee uses appropriate eye or face protection when exposed to eye or face hazards from flying particles, molten metal, liquid chemicals, acids or caustic liquids, chemical gases or vapors, or potentially injurious light radiation.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 7, Hazardous Material Control and Management (HMC&M); Chapter 6, Training; Chapter 19, Sight Conservation; Chapter 20, Personal Protective Equipment; Chapter 8, Occupational Health	Initial Abatement: 10/20/2012 [2] Penalty Abatement: 1/11/2013 Close Date: 4/08/2013	\$7,000
Navy Exchange - Liberty Station 2912 Nimitz Blvd Automotive Center And Gas Station (Bldg. 344 And 471) San Diego, CA 92106	10/19/2012	Planned	Serious	1910.138(a)	Hand Protection. General requirements. Employers shall select and require employees to use appropriate hand protection when employees' hands are exposed to hazards such as those from skin absorption of harmful substances; severe cuts or lacerations; severe abrasions; punctures; chemical burns; thermal burns; and harmful temperature extremes.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 20, Personal Protective Equipment; Chapter 6, Training	Initial Abatement: 10/20/2012 [2] Penalty Abatement: 1/11/2013 Close Date: 4/08/2013	\$7,000
Navy Exchange - Liberty Station 2912 Nimitz Blvd Automotive Center And Gas Station (Bldg. 344 And 471) San Diego, CA 92106	10/19/2012	Planned	Serious	1910.157(c)(1)	Portable fire extinguishers. General requirements. The employer shall provide portable fire extinguishers and shall mount, locate and identify them so that they are readily accessible to employees without subjecting the employees to possible injury.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities	Initial Abatement: 10/19/2012 [3] Close Date: 4/08/2013	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Navy Exchange - Liberty Station 2912 Nimitz Blvd Automotive Center And Gas Station (Bldg. 344 And 471) San Diego, CA 92106	10/19/2012	Planned	Serious	1910.157(c)(4)	Portable fire extinguishers. General requirements. The employer shall assure that portable fire extinguishers are maintained in a fully charged and operable condition and kept in their designated places at all times except during use.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities	Initial Abatement: 10/20/2012 [2] Penalty Abatement: 1/11/2013 Close Date: 4/08/2013	\$7,000
Navy Exchange - Liberty Station 2912 Nimitz Blvd Automotive Center And Gas Station (Bldg. 344 And 471) San Diego, CA 92106	10/19/2012	Planned	Serious	1910.176(b)	Handling materials - general. Secure storage. Storage of material shall not create a hazard. Bags, containers, bundles, etc., stored in tiers shall be stacked, blocked, interlocked and limited in height so that they are stable and secure against sliding or collapse.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Initial Abatement: 12/18/2012 Penalty Abatement: 1/11/2013 Close Date: 4/08/2013	\$7,000
Navy Exchange - Liberty Station 2912 Nimitz Blvd Automotive Center And Gas Station (Bldg. 344 And 471) San Diego, CA 92106	10/19/2012	Planned	Serious	1910.1001(j)(4) i	Asbestos. Communication of hazards to employees -- Warning signs— Posting. Warning signs shall be provided and displayed at each regulated area. In addition, warning signs shall be posted at all approaches to regulated areas so that an employee may read the signs and take necessary protective steps before entering the area.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 7, Hazardous Material Control and Management (HMC&M)	Initial Abatement: 12/26/2012 [2] Penalty Abatement: 1/11/2013 Close Date: 4/8/2013	\$7,000
Navy Exchange - Liberty Station 2912 Nimitz Blvd Automotive Center And Gas Station (Bldg. 344 And 471) San Diego, CA 92106	10/19/2012	Planned	Serious	1910.1001(k)(1)	Asbestos. Housekeeping. All surfaces shall be maintained as free as practicable of ACM waste and debris and accompanying dust.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 17, Asbestos Control	Initial Abatement: 12/26/2012 [2] Penalty Abatement: 1/11/2013 Close Date: 4/08/2013	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Navy Exchange - Liberty Station 2912 Nimitz Blvd Automotive Center And Gas Station (Bldg. 344 And 471) San Diego, CA 92106	10/19/2012	Planned	Serious	1910.1200(f)(5) i	Hazard Communication. Labels and other forms of warning— Chemical manufacturers, importers, or distributors shall ensure that each container of hazardous chemicals leaving the workplace is labeled, tagged, or marked in accordance with this section in a manner which does not conflict with the requirements of the Hazardous Materials Transportation Act (49 U.S.C. 1801 et seq.) and regulations issued under that Act by the Department of Transportation.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 7, Hazardous Material Control and Management (HMC&M)	Initial Abatement: 10/19/2012 [2] Penalty Abatement: 1/11/2013 Close Date: 4/08/2013	\$7,000
Navy Exchange - Liberty Station 2912 Nimitz Blvd Automotive Center And Gas Station (Bldg. 344 And 471) San Diego, CA 92106	10/19/2012	Planned	Serious	1910.1200(f)(9)	Hazard Communication. Labels and other forms of warning— The employer shall not remove or deface existing labels on incoming containers of hazardous chemicals, unless the container is immediately marked with the required information.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 7, Hazardous Material Control and Management (HMC&M)	Initial Abatement: 10/19/2012 [2] Penalty Abatement: 1/11/2013 Close Date: 4/08/2013	\$7,000
Navy Base Point Loma Navy Exchange Liberty Station Automotive Center2912 Nimitz Blvd. San Diego, CA 92106	12/14/2012	Program Related	Serious	1910.1001(j)(3) i	Asbestos. Communication of hazards to employees -- Duties of employers and building and facility owners. Building and facility owners shall determine the presence, location, and quantity of ACM and/or PACM at the work site. Employers and building and facility owners shall exercise due diligence in complying with these requirements to inform employers and employees about the presence and location of ACM and PACM.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 17, Asbestos Control; Chapter 2, Responsibilities	Initial Abatement: 12/14/2012 [2] Penalty Abatement: 1/11/2013; Close Date: 1/08/2013	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Navy Base Point Loma Navy Exchange Liberty Station Automotive Center2912 Nimitz Blvd. San Diego, CA 92106	12/14/2012	Program Related	Serious	1910.1001(j)(3) v	Asbestos. Communication of hazards to employees -- Duties of employers and building and facility owners. At the entrance of mechanical rooms/areas in which employees reasonably can be expected to enter and which contain ACM and/or PACM, the building owner shall post signs which identify the material which is present, its location, and appropriate work practices which, if followed, will ensure that ACM and/or PACM will not be disturbed. The employer shall ensure, to the extent feasible, that employees who come in contact with these signs can comprehend them. Means to ensure employee comprehension may include the use of foreign languages, pictographs, graphics and awareness training.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 17, Asbestos Control; Chapter 2, Responsibilities	Initial Abatement: 12/14/2012 [2] Penalty Abatement: 1/11/2013; Close Date: 1/08/2013	\$7,000
U. S. Dept. Of Navy Navy Fleet Readiness Center East (Attn: CODE 6.5.1) Cherry Point, NC 28533	2/28/2013	Complaint	Repeat	1910.1026(i)(4) i	Chromium VI. Hygiene areas and practices. Eating and drinking areas. Whenever the employer allows employees to consume food or beverages at a worksite where chromium (VI) is present, the employer shall ensure that eating and drinking areas and surfaces are maintained as free as practicable of chromium (VI).	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 8, Occupational Health; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions	Initial Abatement: 4/19/2013 [2] Penalty Abatement: 5/9/2013 Close Date: 4/24/2013	\$70,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

U. S. Dept. Of Navy Navy Fleet Readiness Center East (Attn: CODE 6.5.1) Cherry Point, NC 28533	2/28/2013	Complaint	Serious	1910.157(d)(6)	Portable fire extinguishers. Selection and distribution. The employer shall distribute portable fire extinguishers or other containers of Class D extinguishing agent for use by employees so that the travel distance from the combustible metal working area to any extinguishing agent is 75 feet (22.9 m) or less. Portable fire extinguishers for Class D hazards are required in those combustible metal working areas where combustible metal powders, flakes, shavings, or similarly sized products are generated at least once every two weeks.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions	Initial Abatement: 4/19/2013 [2] Penalty Abatement: 5/9/2013 Close Date: 4/24/2013	\$7,000
Naval Supply Fleet Logistics Center Norco Detachment 1999 4th St, Bldg. 204 Norco, CA 92860	3/26/2013	Planned	Serious	1910.157(c)(1)	Portable fire extinguishers. General requirements. The employer shall provide portable fire extinguishers and shall mount, locate and identify them so that they are readily accessible to employees without subjecting the employees to possible injury.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Initial Abatement: 3/26/2013 [3] Closed Date: 5/7/2013	\$7,000
Naval Supply Fleet Logistics Center Norco Detachment 1999 4th St, Bldg. 204 Norco, CA 92860	3/26/2013	Planned	Serious	1910.157(e)(2)	Portable fire extinguishers. Inspection, maintenance and testing. Portable extinguishers or hose used in lieu thereof under paragraph (d)(3) of this section shall be visually inspected monthly.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Initial Abatement: 3/26/2013 [2] Penalty Abatement: 5/15/2013 Close Date: 5/7/2013	\$7,000
Naval Supply Fleet Logistics Center Norco Detachment 1999 4th St, Bldg. 204 Norco, CA 92860	3/26/2013	Planned	Serious	1910.303(b)(2)	General requirements. Examination, installation, and use of equipment -- Installation and use. Listed or labeled equipment shall be installed and used in accordance with any instructions included in the listing or labeling.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Initial Abatement: 3/26/2013 [2] Penalty Abatement: 5/15/2013 Close Date: 5/7/2013	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Naval Supply Fleet Logistics Center Norco Detachment 1999 4th St, Bldg. 204 Norco, CA 92860	3/26/2013	Planned	Serious	1910.305(a)(2) x	Wiring methods, components, and equipment for general use. Wiring methods. Temporary wiring. Flexible cords and cables shall be protected from accidental damage, as might be caused, for example, by sharp corners, projections, and doorways or other pinch points.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Initial Abatement: 3/26/2013 [2] Penalty Abatement: 5/15/2013 Close Date: 5/7/2013	\$7,000
Naval Supply Fleet Logistics Center Norco Detachment 1999 4th St, Bldg. 204 Norco, CA 92860	3/26/2013	Planned	Serious	1910.305(g)(1) iv A	Wiring methods, components, and equipment for general use. Flexible cords and cables -- Use of flexible cords and cables. Unless specifically permitted otherwise in paragraph (g)(1)(ii) of this section, flexible cords and cables may not be used: As a substitute for the fixed wiring of a structure;	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Initial Abatement: 3/26/2013 [2] Penalty Abatement: 5/15/2013 Close Date: 5/7/2013	\$7,000
Naval Facilities Engineering Command Southwest Region (Navfac) 511 Gardners Road Bldg. 427 Monterey, CA 93943	4/8/2013	Planned	Serious	1910.304(f)(1) iv	Wiring design and protection. Overcurrent protection -- 600 volts, nominal, or less. The following requirements apply to overcurrent protection of circuits rated 600 volts, nominal, or less. Overcurrent devices shall be readily accessible to each employee or authorized building management personnel. These overcurrent devices may not be located where they will be exposed to physical damage or in the vicinity of easily ignitable material.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Initial Abatement: 4/08/2013 [2] Penalty Abatement: 5/01/2013 Close Date: 5/06/2013	\$7,000
Naval Post Graduate School 285 Stone Road Monterey, CA 93943	4/9/2013	Planned	Serious	1910.212(a)(1)	General requirements for all machines. Machine guarding. Types of guarding. One or more methods of machine guarding shall be provided to protect the operator and other employees in the machine area from hazards such as those created by point of operation, ingoing nip points, rotating parts, flying chips and sparks. Examples of guarding methods are- barrier guards, two-hand tripping devices, electronic safety devices, etc.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	No Initial Abatement provided. (5 instances of tis violation were noted) Penalty Abatement & Informal Settlement: 8/30/2013 Close Date: 7/31/2013	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Naval Post Graduate School 285 Stone Road Monterey, CA 93943	4/9/2013	Planned	Serious	1910.303(e)(1) ii	General requirements. Marking -- Identification of manufacturer and ratings. Electric equipment may not be used unless the following markings have been placed on the equipment: Other markings giving voltage, current, wattage, or other ratings as necessary.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Initial Abatement: 5/03/2013 [2] Penalty Abatement & Informal Settlement: 5/09/2013 Close Date: (OPEN)	\$7,000
Naval Support Activity Monterey 285 Stone Road Monterey, CA 93943	4/10/2013	Planned	Serious	1910.22(d)(1)	General requirements. "Floor loading protection." In every building or other structure, or part thereof, used for mercantile, business, industrial, or storage purposes, the loads approved by the building official shall be marked on plates of approved design which shall be supplied and securely affixed by the owner of the building, or his duly authorized agent, in a conspicuous place in each space to which they relate. Such plates shall not be removed or defaced but, if lost, removed, or defaced, shall be replaced by the owner or his agent.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	No Initial Abatement provided. Penalty Abatement & Informal Settlement: 7/30/2013 Close Date: (OPEN)	\$7,000
Naval Support Activity Monterey 285 Stone Road Monterey, CA 93943	4/10/2013	Planned	Serious	1910.37(b)(2)	Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. Each exit must be clearly visible and marked by a sign reading "Exit."	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	No Initial Abatement provided. Penalty Abatement & Informal Settlement: 7/14/2013 Close Date: 7/31/2013	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Naval Support Activity Monterey 285 Stone Road Monterey, CA 93943	4/10/2013	Planned	Serious	1910.132(d)(1)	General requirements. Hazard assessment and equipment selection. The employer shall assess the workplace to determine if hazards are present, or are likely to be present, which necessitate the use of personal protective equipment (PPE). If such hazards are present, or likely to be present, the employer shall: (i) Select, and have each affected employee use, the types of PPE that will protect the affected employee from the hazards identified in the hazard assessment; (ii) Communicate selection decisions to each affected employee; and, (iii) Select PPE that properly fits each affected employee. Note: Non-mandatory Appendix B contains an example of procedures that would comply with the requirement for a hazard assessment.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 20, Personal Protective Equipment	Initial Abatement: 5/15/2013 Penalty Abatement & Informal Settlement: 5/30/2013 Close Date: 7/31/2013	\$7,000
Navy Puget Sound Naval Shipyard 1400 Farragut Ave Bremerton, WA 98314	5/9/2013	Complaint	Serious	1910.134(d)(1)(iii)	Respiratory Protection Selection of respirators. General requirements. The employer shall identify and evaluate the respiratory hazard(s) in the workplace; this evaluation shall include a reasonable estimate of employee exposures to respiratory hazard(s) and an identification of the contaminant's chemical state and physical form. Where the employer cannot identify or reasonably estimate the employee exposure, the employer shall consider the atmosphere to be IDLH..	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 20, Personal Protective Equipment; Chapter 15 Respiratory Protection	11/7/2013 Close Case Date: 10/17/2013	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Navy Puget Sound Naval Shipyard 1400 Farragut Ave Bremerton, WA 98314	5/9/2013	Complaint	Serious	1910.1200(h)(1)	Hazard Communication. Employee information and training. Employers shall provide employees with effective information and training on hazardous chemicals in their work area at the time of their initial assignment, and whenever a new chemical hazard the employees have not previously been trained about is introduced into their work area. Information and training may be designed to cover categories of hazards (e.g., flammability, carcinogenicity) or specific chemicals. Chemical-specific information must always be available through labels and safety data sheets.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 7, Hazardous Material Control and Management (HMC&M)	11/7/2013 Close Case Date: 10/17/2013	\$7,000
U.S. Naval Base Police Dept 3475 Senn Roadguardposts San Diego, CA 92136	6/11/2013	Complaint	Serious	1910.141(b)(1)(iii)	Sanitation. Water supply. Potable water. Portable drinking water dispensers shall be designed, constructed, and serviced so that sanitary conditions are maintained, shall be capable of being closed, and shall be equipped with a tap.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 20, Occupational Health	8/14/2013 Close Case Date: (OPEN)	\$7,000
U.S. Naval Base Police Dept 3475 Senn Roadguardposts San Diego, CA 92136	6/11/2013	Complaint	Serious	1910.141(d)(2)(i)	Sanitation. Washing facilities. Lavatories. Lavatories shall be made available in all places of employment. The requirements of this subdivision do not apply to mobile crews or to normally unattended work locations if employees working at these locations have transportation readily available to nearby washing facilities which meet the other requirements of this paragraph.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 20, Occupational Health	8/14/2013 Close Case Date: (OPEN)	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

U.S. Naval Base Police Dept 3475 Senn Roadguardposts San Diego, CA 92136	6/11/2013	Complaint	Serious	1910.141(d)(2)(iii)	Sanitation. Washing facilities. Lavatories. Hand soap or similar cleansing agents shall be provided.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 20, Occupational Health	8/14/2013 Close Case Date: (OPEN)	\$7,000
U.S. Naval Base Police Dept 3475 Senn Roadguardposts San Diego, CA 92136	6/11/2013	Complaint	Serious	1910.141(g)(3)	Sanitation. Consumption of food and beverages on the premises. Waste disposal containers. Receptacles constructed of smooth, corrosion resistant, easily cleanable, or disposable materials, shall be provided and used for the disposal of waste food. The number, size, and location of such receptacles shall encourage their use and not result in overfilling. They shall be emptied not less	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 2, Responsibilities; Chapter 20, Occupational Health	8/14/2013 Close Case Date: (OPEN)	\$7,000
U.S. Naval Base Police Dept 3475 Senn Roadguardposts San Diego, CA 92136	6/11/2013	Complaint	Serious	1910.157(e)(2)	Portable fire extinguishers. Inspection, maintenance and testing. Portable extinguishers or hose used in lieu thereof under paragraph (d)(3) of this section shall be visually inspected monthly.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	8/14/2013 Close Case Date: (OPEN)	\$7,000
U.S. Naval Base Police Dept 3475 Senn Roadguardposts San Diego, CA 92136	6/11/2013	Complaint	Serious	1910.157(e)(3)	Portable fire extinguishers. Inspection, maintenance and testing. The employer shall assure that portable fire extinguishers are subjected to an annual maintenance check. Stored pressure extinguishers do not require an internal examination. The employer shall record the annual maintenance date and retain this	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	8/14/2013 Close Case Date: (OPEN)	\$7,000
U.S. Naval Base Police Dept 3475 Senn Roadguardposts San Diego, CA 92136	6/11/2013	Complaint	Serious	1910.212(a)(1)	General requirements for all machines. Machine guarding. Types of guarding. One or more methods of machine guarding shall be provided to protect the operator and other employees in the machine area from hazards such as those created by point of operation, ingoing nip points, rotating parts, flying chips and sparks. Examples of guarding methods are barrier guards, two-hand tripping devices, electronic safety devices, etc.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	8/14/2013 Close Case Date: (OPEN)	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

U.S. Naval Base Police Dept 3475 Senn Roadguardposts San Diego, CA 92136	6/11/2013	Complaint	Serious	1910.303(b)(1)	General. Examination, installation, and use of equipment -- Electric equipment shall be free from recognized hazards that are likely to cause death or serious physical harm to employees. Safety of equipment shall be determined using the following considerations: (b)(1)(i) Suitability for installation and use in conformity with the provisions of this subpart; Note to paragraph (b)(1)(i) of this section: Suitability of equipment for an identified purpose may be evidenced by listing or labeling for that identified purpose. (b)(1)(ii) Mechanical strength and durability, including, for parts designed to enclose and protect other equipment, the adequacy of the protection thus provided; (b)(1)(iii) Wire-bending and connection space; (b)(1)(iv) Electrical insulation; (b)(1)(v) Heating effects under all conditions of use; (b)(1)(vi) Arcing effects; (b)(1)(vii) Classification by type, size, voltage, current capacity, and specific use; and (b)(1)(viii) Other factors that contribute to the practical safeguarding of persons using or likely to come in contact with the equipment.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	8/14/2013 Close Case Date: (OPEN)	\$7,000
U.S. Naval Base Police Dept 3475 Senn Roadguardposts San Diego, CA 92136	6/11/2013	Complaint	Serious	1910.303(b)(7)(i)	General. Examination, installation, and use of equipment -- Mechanical execution of work. Electric equipment shall be installed in a neat and workmanlike manner. Unused openings in boxes, raceways, auxiliary gutters, cabinets, equipment cases, or housings shall be effectively closed to afford protection substantially equivalent to the wall of the equipment.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	8/14/2013 Close Case Date: (OPEN)	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

U.S. Naval Base Police Dept 3475 Senn Roadguardposts San Diego, CA 92136	6/11/2013	Complaint	Serious	1910.303(g)(1)(vii)(B)	<p>General. 600 Volts, nominal, or less. This paragraph applies to electric equipment operating at 600 volts, nominal, or less to ground. Space about electric equipment. Sufficient access and working space shall be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of such equipment. Switchboards, panelboards, and distribution boards installed for the control of light and power circuits, and motor control centers shall be located in dedicated spaces and protected from damage.</p> <p>Outdoor electric equipment shall be installed in suitable enclosures and shall be protected from accidental contact by unauthorized personnel, or by vehicular traffic, or by accidental spillage or leakage from piping systems. No architectural appurtenance or other equipment may be located in the working space required by paragraph (g)(1)(i) of this section.</p>	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	8/14/2013 Close Case Date: (OPEN)	\$7,000
Naval Medical Center - San Diego 2310 Craven Stbldg. 3230 San Diego, CA 92136	6/27/2013	Referral	Other	1904.39(a)	<p>Basic requirement. Within eight (8) hours after the death of any employee from a work-related incident or the in-patient hospitalization of three or more employees as a result of a work-related incident, you must orally report the fatality/multiple hospitalization by telephone or in person to the Area Office of the Occupational Safety and Health Administration (OSHA), U.S. Department of Labor, that is nearest to the site of the incident. You may also use the OSHA toll-free central telephone number, 1-800-321-OSHA (1-800-321-6742).</p> <p>1904.39(b)</p>	OPNAVINST 5100.23G, Chapter 14, Mishap Investigation, Reporting and Record Keeping; Chapter 2, Responsibilities; OPNAVINST 5102.1B, Chapter 3, Record Keeping and Reporting	9/27/2013 Close Case Date: 9/27/2013	\$1,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Commanding Officer, Naval Facilities Engineering Command Mid-Atlantic U S Navy Sere School 1716 Navy Road, Bldg 566 Rangeley, ME 04970	7/26/2013	Accident	Other	1904.39(a)	Basic requirement. Within eight (8) hours after the death of any employee from a work-related incident or the in-patient hospitalization of three or more employees as a result of a work-related incident, you must orally report the fatality/multiple hospitalization by telephone or in person to the Area Office of the Occupational Safety and Health Administration (OSHA), U.S. Department of Labor, that is nearest to the site of the incident. You may also use the OSHA toll-free central telephone number, 1-800-321-OSHA (1-800-321-6742). 1904.39(b)	OPNAVINST 5100.23G, Chapter 14, Mishap Investigation, Reporting and Record Keeping; Chapter 2, Responsibilities; OPNAVINST 5102.1B, Chapter 3, Record Keeping and Reporting	Initial Abatement: 10/1/2013 Final Order Date: 11/08/2013	1,000
Naval Air Station Fallon, Pwd Environmental Division 4755 Pasture Road, B-307nas Fallon Fallon, NV 89496	7/30/2013	Planned	Serious	1910.36(g)(2)	Design and construction requirements for exit routes. An exit route must meet minimum height and width requirements. An exit access must be at least 28 inches (71.1 cm) wide at all points. Where there is only one exit access leading to an exit or exit discharge, the width of the exit and exit discharge must be at least equal to the width of the exit access.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	10/2/2013 Close Case Date: 3/14/2014	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Naval Air Station Fallon, Pwd Environmental Division 4755 Pasture Road, B- 307nas Fallon, NV 89496	7/30/2013	Planned	Serious	1910.303(b)(1)	General. Examination, installation, and use of equipment -- Examination. Electric equipment shall be free from recognized hazards that are likely to cause death or serious physical harm to employees. Safety of equipment shall be determined using the following considerations: (b)(1)(i) Suitability for installation and use in conformity with the provisions of this subpart; Note to paragraph (b)(1)(i) of this section: Suitability of equipment for an identified purpose may be evidenced by listing or labeling for that identified purpose. (b)(1)(ii) Mechanical strength and durability, including, for parts designed to enclose and protect other equipment, the adequacy of the protection thus provided; (b)(1)(iii) Wire-bending and connection space; (b)(1)(iv) Electrical insulation; (b)(1)(v) Heating effects under all conditions of use; (b)(1)(vi) Arcing effects; (b)(1)(vii) Classification by type, size, voltage, current capacity, and specific use; and (b)(1)(viii) Other factors that contribute to the practical safeguarding of persons using or likely to come in contact with the equipment.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	10/2/2013 Close Case Date: 3/14/2014	\$7,000
Naval Air Station Fallon, Pwd Environmental Division 4755 Pasture Road, B- 307nas Fallon, NV 89496	7/30/2013	Planned	Serious	1910.303(b)(2)	General requirements. Examination, installation, and use of equipment -- Installation and use. Listed or labeled equipment shall be installed and used in accordance with any instructions included in the listing or labeling.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	10/2/2013 Close Case Date: 3/14/2014	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Naval Air Station Fallon, Pwd Environmental Division 4755 Pasture Road, B- 307nas Fallon, NV 89496	7/30/2013	Planned	Serious	1910.305(g)(1)(iv)(A)	Wiring methods, components, and equipment for general use. Flexible cords and cables -- Use of flexible cords and cables. Unless specifically permitted otherwise in paragraph (g)(1)(ii) of this section, flexible cords and cables may not be used: As a substitute for the fixed wiring of a structure;	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	10/2/2013 Close Case Date: 3/14/2014	\$7,000
Naval Supply Systems Command, Fallon 4755 Pasture Road, Bldg 64nas Fallon Fallon, NV 89496	7/30/2013	Planned	Serious	1910.37(b)(2)	Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. Each exit must be clearly visible and marked by a sign reading "Exit."	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	09/25/2013 Closed Case Date: 10/17/2013	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Naval Supply Systems Command, Fallon, 4755 Pasture Road, Bldg 64nas Fallon, NV 89496	7/30/2013	Planned	Serious	1910.213(c)(1)	Woodworking machinery requirements Hand-fed ripsaws. Each circular hand-fed ripsaw shall be guarded by a hood which shall completely enclose that portion of the saw above the table and that portion of the saw above the material being cut. The hood and mounting shall be arranged so that the hood will automatically adjust itself to the thickness of and remain in contact with the material being cut but it shall not offer any considerable resistance to insertion of material to saw or to passage of the material being sawed. The hood shall be made of adequate strength to resist blows and strains incidental to reasonable operation, adjusting, and handling, and shall be so designed as to protect the operator from flying splinters and broken saw teeth. It shall be made of material that is soft enough so that it will be unlikely to cause tooth breakage. The hood shall be so mounted as to insure that its operation will be positive, reliable, and in true alignment with the saw; and the mounting shall be adequate in strength to resist any reasonable side thrust or other force tending to throw it out of line.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	09/25/2013 Closed Case Date: 10/17/2013	\$7,000
Naval Supply Systems Command, Fallon 4755 Pasture Road, Bldg 64nas Fallon, NV 89496	7/30/2013	Planned	Serious	1910.303(b)(2)	General requirements. Examination, installation, and use of equipment -- Installation and use. Listed or labeled equipment shall be installed and used in accordance with any instructions included in the listing or labeling.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	09/25/2013 Closed Case Date: 10/17/2013	\$7,000
Naval Supply Systems Command, Fallon 4755 Pasture Road, Bldg 64nas Fallon, NV 89496	7/30/2013	Planned	Serious	1910.305(g)(1)(iv)(A)	Wiring methods, components, and equipment for general use. Flexible cords and cables -- Use of flexible cords and cables. Unless specifically permitted otherwise in paragraph (g)(1)(ii) of this section, flexible cords and cables may not be used: As a substitute for the fixed wiring of a structure;	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	09/25/2013 Closed Case Date: 10/17/2013	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Naval Air Station, Fallon 4755 Pasture Road, Bldg 66frc West, Det Fallon Fallon, NV 89496	7/30/2013	Planned	Serious	1910.37(b)(5)	Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. Each doorway or passage along an exit access that could be mistaken for an exit must be marked "Not an Exit" or similar designation, or be identified by a sign indicating its actual use (e.g., closet).	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	9/25/2013 Close Case Date: 3/13/2014	\$7,000
Naval Air Station, Fallon 4755 Pasture Road, Bldg 66frc West, Det Fallon Fallon, NV 89496	7/30/2013	Planned	Serious	1910.305(g)(1)(iv)(A)	Wiring methods, components, and equipment for general use. Flexible cords and cables -- Use of flexible cords and cables. Unless specifically permitted otherwise in paragraph (g)(1)(ii) of this section, flexible cords and cables may not be used: As a substitute for the fixed wiring of a structure;	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	9/25/2013 Close Case Date: 3/13/2014	\$7,000
Nsawc - Fallon 4755 Pasture Road, Bldg 406nas Fallon Fallon, NV 89496	7/30/2013	Planned	Serious	1910.36(g)(2)	Design and construction requirements for exit routes. An exit route must meet minimum height and width requirements. An exit access must be at least 28 inches (71.1 cm) wide at all points. Where there is only one exit access leading to an exit or exit discharge, the width of the exit and exit discharge must be at least equal to the width of the exit access.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	9/25/2013 Close Case Date: 10/24/2013	\$7,000
Nsawc - Fallon 4755 Pasture Road, Bldg 406nas Fallon Fallon, NV 89496	7/30/2013	Planned	Serious	1910.37(b)(2)	Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. Each exit must be clearly visible and marked by a sign reading "Exit."	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	9/25/2013 Close Case Date: 10/24/2013	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Nsawc - Fallon 4755 Pasture Road, Bldg 406nas Fallon Fallon, NV 89496	7/30/2013	Planned	Serious	1910.37(b)(5)	Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. Each doorway or passage along an exit access that could be mistaken for an exit must be marked "Not an Exit" or similar designation, or be identified by a sign indicating its actual use (e.g., closet).	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	9/25/2013 Close Case Date: 10/24/2013	\$7,000
Nsawc - Fallon 4755 Pasture Road, Bldg 406nas Fallon Fallon, NV 89496	7/30/2013	Planned	Serious	1910.303(b)(2)	General requirements. Examination, installation, and use of equipment -- Installation and use. Listed or labeled equipment shall be installed and used in accordance with any instructions included in the listing or labeling.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	9/25/2013 Close Case Date: 10/24/2013	\$7,000
Nsawc - Fallon 4755 Pasture Road, Bldg 406nas Fallon Fallon, NV 89496	7/30/2013	Planned	Other	1904.33(a)	Retention and updating. Basic requirement. You must save the OSHA 300 Log, the privacy case list (if one exists), the annual summary, and the OSHA 301 Incident Report forms for five (5) years following the end of the calendar year that these records cover.	OPNAVINST 5102.1, Ltr of Transmittal & Chapter 3	9/25/2013 Close Case Date: 10/24/2013	\$1,000
Naval Air Station Fallon, Pwd, Facilities Engineering 4755 Pasture Road, B- 307nas - Fallon Fallon, NV 89496	7/30/2013	Planned	Serious	1910.36(g)(2)	Design and construction requirements for exit routes. An exit route must meet minimum height and width requirements. An exit access must be at least 28 inches (71.1 cm) wide at all points. Where there is only one exit access leading to an exit or exit discharge, the width of the exit and exit discharge must be at least equal to the width of the exit access.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	10/2/2013 Close Case Date: 3/13/2014	\$7,000
Naval Air Station Fallon, Pwd, Facilities Engineering 4755 Pasture Road, B- 307nas - Fallon Fallon, NV 89496	7/30/2013	Planned	Serious	1910.37(b)(2)	Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. Each exit must be clearly visible and marked by a sign reading "Exit."	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	10/2/2013 Close Case Date: 3/13/2014	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Naval Air Station Fallon, Pwd, Facilities Engineering 4755 Pasture Road, B- 307nas - Fallon Fallon, NV 89496	7/30/2013	Planned	Serious	1910.37(b)(5)	Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. Each doorway or passage along an exit access that could be mistaken for an exit must be marked "Not an Exit" or similar designation, or be identified by a sign indicating its actual use (e.g., closet).	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	10/2/2013 Close Case Date: 3/13/2014	\$7,000
Naval Air Station Fallon, Pwd, Facilities Engineering 4755 Pasture Road, B- 307nas - Fallon Fallon, NV 89496	7/30/2013	Planned	Serious	1910.303(b)(2)	General requirements. Examination, installation, and use of equipment -- Installation and use. Listed or labeled equipment shall be installed and used in accordance with any instructions included in the listing or labeling.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	10/2/2013 Close Case Date: 3/13/2014	\$7,000
U.S. Navy, Public Works Division, Fallon 4755 Pasture Road, Bldg 307 Fallon, NV 89496	7/30/2013	Planned	serious	1910.36(g)(2)	Design and construction requirements for exit routes. An exit route must meet minimum height and width requirements. An exit access must be at least 28 inches (71.1 cm) wide at all points. Where there is only one exit access leading to an exit or exit discharge, the width of the exit and exit discharge must be at least equal to the width of the exit access.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	9/25/2013 Close Case date: 3/13/2014	\$7,000
U.S. Navy, Public Works Division, Fallon 4755 Pasture Road, Bldg 307 Fallon, NV 89496	7/30/2013	Planned	Serious	1910.303(b)(2)	General requirements. Examination, installation, and use of equipment -- Installation and use. Listed or labeled equipment shall be installed and used in accordance with any instructions included in the listing or labeling.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	9/25/2013 Close Case Date: 3/13/2014	\$7,000
Naval Air Station Fallon, Csd 4755 Pasture Road, B- 309nas Fallon Fallon, NV 89496	7/31/2013	Planned	Serious	1910.303(b)(2)	General requirements. Examination, installation, and use of equipment -- Installation and use. Listed or labeled equipment shall be installed and used in accordance with any instructions included in the listing or labeling.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	10/2/2013 Close Case date: 3/25/2014	\$7,000

TOTAL OSHA CITATIONS THRU 4th QUARTER FY2013

Navy Region Northwest Police Department Bremerton Precinct Farragut Ave And Z Street Bremerton, WA 98314	8/8/2013	Complaint	Serious	1910.132(d)(1) (i)	General requirements. Hazard assessment and equipment selection. The employer shall assess the workplace to determine if hazards are present, or are likely to be present, which necessitate the use of personal protective equipment (PPE). If such hazards are present, or likely to be present, the employer shall: Select, and have each affected employee use, the types of PPE that will protect the affected employee from the hazards identified in the hazard assessment	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 20 Personal Protective Equipment	10/22/2013 Close Case Date: 10/24/2013	\$7,000
Navy Exchange West Coast 4250 Eucalyptus Ave Chino, CA 91710	8/29/2013	Complaint	Serious	1910.178(m)(5)(i)	Powered industrial trucks. Truck operations. When a powered industrial truck is left unattended, load engaging means shall be fully lowered, controls shall be neutralized, power shall be shut off, and brakes set. Wheels shall be blocked if the truck is parked on an incline.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	12/09/2013 Close Case Date: 12/11/2013	\$7,000
Navy Exchange West Coast 4250 Eucalyptus Ave Chino, CA 91710	8/29/2013	Complaint	Serious	1910.178(q)(7)	Maintenance of industrial trucks. Industrial trucks shall be examined before being placed in service, and shall not be placed in service if the examination shows any condition adversely affecting the safety of the vehicle. Such examination shall be made at least daily. Where industrial trucks are used on a round-the-clock basis, they shall be examined after each shift. Defects when found shall be immediately reported and corrected.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	12/09/2013 Close Case Date: 12/11/2013	\$7,000
TOTAL	SERIOUS	OTHER	REPEAT					
103	88	7	8					